Appl. No.: 09/837,235 Amdt. dated May 28, 2004 Reply to Final Office Action dated Mar. 31, 2004 Page 26 of 26 Docket No. 289550-122 US2

APPENDIX A

Attached is a Replacement Sheet for Figures 15A-B and 16 A-D.

C. /	Ant	tarctic	a L	•	se B	Nu				nd Aı	mine		id Si	equ	ence	;
ctar	cct	teeggt	tco	roacc	etac	ctt	ttea	cao	ccc	aaqte	aata	ctca	atqe	aga	teta	,
L		8 G								K S						
		70		8	30		90			100		11	0		120	
acci	tgc	cagggt	gct	tege	cato	ctc	gtc	tcc	aaa	cccat	cctt	ctcg	tccc	cgga	aacc	
T	Č	Q G	A	8	p g	Ş	v	9	K	PI	L	T.	V P	Ğ	T	
		130		14	0		150			160		17	0	•	180	
gge	acc	acaggt	CCB	cagt	:cgtt	cga	etcg	aac	tgg	atccc	cctc	tcaa	cgca			
G	T	T G	P	Q	s f	D	8	И	W	I P	L	8	T Q	I,	G	
		190		20			210			220		23			240	
		caetgo														
Y	T	P C	W	I	5 P	P			M		D		-	N	T	
		250		26			270			280		29			300	
		atggto	zaac	äčca	itcac	cāč	gc <u>t</u> c	tac	gct	ggttc	aaãc	aaca	acaa			
E	Y	MV	N			A			A		G			L	_	
		310		32		4	330			340		35			360	
		acctgg T W	S S	cagg	iārāā	CCC:	gct:	gca	cag ^	₽9999 14 G	cetg	ACCL T	rect F	ceci P	eagt S	
V	77	_	9	-					×	400	_	41		-	420	
atas		370 tccaag	+-	38 		tato	390		aca		ctac		-	cate		
I.		S K									Y	K	g T	V		
	*	430	•	44			450			460	-	47			480	
acce	TOC	cctctc	·aat			aati			ccc		atqq			cac		
A A		PL	D	A	L A	V	 \$	A	P	s v	พ	\mathbf{Q}^{-1}	о т		Ğ	
		490		50	10		510			520		53	0		540	
tead	rca.	ctcacc	aco			aaa			ggt	ctgac	ccag			çaç	Cacc	
s	A	L T	${f r}$	Ā.	ьŘ	N	A	Ģ	G	L, T	Q	I .	V P	T	T	
		550		56			570			580		59	_		600	
aacc	ctc	tactcg	geg	accg	lscās	gate	egtt	cag	cct	caggt	gtçe	aact	¢gcc	act	cgac	
И	L	y s	A	T	D E	I			P	QΨ	8	И		L	_	
		610		62			630			640		65	_		660	
		taccto		aacg	gaaa	gaa	cgte	cag	āos	cagge	cgtg	rgrg	ggcc	ger; L		
Ş	S	Y L	P			. N			A	Q A	. •					
		670		68			690			700	~~+~	71 2500		ste.	720	
		gaccat D H	.gca	igget	.eget	ων CstCi	cccg	cag	r R	q v		yrcy:	g <i>c</i> cg G R	acc. S	A	
V	I		A		10 10					760		77		~	780	
		730 teçace		74	.u	+	/5U †***	<i>a</i> ca	720					caai		
Ecg		S T	iaug m	1990	Ayyu A	R	cay c	yca A	ngac D	Y G	I	T T	D C	N	P	
		790	•	80			810		_	820	_	83			840	
att.		gccaat	-nat	otae Otae	actec	coa			rat.c		aact		_	gge		
	P		D D	L	T F	B	Q.	ĸ	v	A A	A	A	L L	A	P	
-	-	850	_	86			870			880		89			900	
gCA	act	gcagco	ato	atac	acada	tee	aaag	çag	raad	tgcga	gcc	gacc	tcat	gcc	ctac	
	A		I	ัง	AG	P	K	ົດ	N	C B	P	D	L M	P	Ÿ	
		910		92	20		930)		940		95	0			
gee	ege	ecctt	tgca			aag	gacc	:tgc	tco	ggcat	cgto	acco	cctg	a(S	EQ ID	NO: 1)
	77	P F	A	_ัช _	G H	. R	T	ē	ន	Ğ 1	V	T	P +	(SI	EQ ID) NO: 2)

FIG. 15A

PCR Oligos for Candido antarctica Lipase B

Oligos for pPal-CALB

Primer A: 5'atg gga att eeu teu teu teu teu teu teu eug eug eeg eet ueo tte egg tte gga eeu3' (SEQ ID NO: 3)

Primer B: 5'cto tig geg goo goe tat eag geg gig aug atg eeg g3' (SEQ ID NO: 4)

Oligos for Point Mutations (made in pPai-CALB)

MI- F9Y

primer MIP: 5'arg ggz att oca tra tea tea tea eag eag egg cet ace the egg the ega een tgo etA the ged (SEQ ID NO: 5)

M2- W52Y

Primer M2F: Sega_ctc gaa ctA Cat ccc cct ctc3'

(SEQ ID NO: 6)

Primer M2R: 5'gag agg ggg atG Tag ttc gag tcg3'(SEQ ID NO: 7)

M3- F117Y

Primer MBF: 5'ggg totg acc tAo tie coc agt atc3'

(SEQ ID NO: 8)

Primer M3R: 5'gat act ggg gaz gTa ggt cag act c3' (SEQ ID NO: 9)

Oligos for pYal-CALB

Primer C:

Primer D:

5'- cgA Tga gat tte ctt cas ttt -3'

5-5'tet aga aag gig geg gee gee-3'(SEQ ID NO: 11)

(SEQ ID NO:10)

Oligos for error-prone PCR

Primer E:

Primer D:

Tigna got gga ttc cat cat cat cat ca

5'-5'tet aga mag gig geg gee gee -3' (SEQ ID NO: 13)

(SEQ ID NO: 12)

FIG. 15B

Subtilisin E Nucleotide and Amino Acid Sequence

		10			20			30			40			ŞŲ			60				10			3Ų
ato	et	atac	agge	tac	cgg	anaa	ago	agt	ecaj	Jaai	laga	aata	C0	ttgt	cgg:	att	taza	cac	jac:	atç	ragt	gao	atga	ıσ
M.	Я	v	Q A	Ā	Ğ	K	Ŝ	Š	T.	E.	ĸ	K 1	<u> </u>	ΙΨ	Ğ	F	K	o	Ŧ	М	B	Ā	M	8
	_	90	_		100			110		_	120			130		-	140		_	1		••	10	
***	•		2202				.Ltc	tos	RARE	1000	.coa	záck	ıŁŁ	caaa	aoc:	at	ttaa	ate	tol	tas	ica:	000	cons	ıa
			K																					
0	M				180	•		190	7,	•	200		•	210		٠ ،	220		• '	23			26	
		170							·				_											•
ÇBAC	at	cgga	tgaa	BBB	gct	y taa	RAG	aat	egaa	LARE	aga	teeg	ıag	cgtt	gçaı	at.	3033	교 교일 	- Land	<u>рац</u>	 	ccg	Cace	ìΈ
A 9						V			.	(8			8			Y			E			Ι.		
		250			260			270			280			290			300			31			32	
gaat	atı	gege	aatc	tgt	tcct	ttat	ggc	att	toto	:238	etta	aago	ge	cggc	tcti	ca	ctct	caa	ıggc	tac	aça	gge	teta	4
E	Y	A	Q S	٧	P	¥	G	I	8	Q	I :	K 🏃	. :			H	S	Q	G	¥	T	e	S	Ħ
		330			340			350			360			370			380			39	0		40	Q
cota	aa	aota	gety	tta	tea	acan	caa	aati	tgac	tct	tet	cato	et	gact	taas	ıçgi	toag	agg		rago	28.0	atb	ogta	c
v	К	v	<u>а</u> 2	♥ .	ľ	3 (G	I	_ ב	8	8	H	Þ	D :	L ł	τ ⁻ 1	7 R	G	; (. 5	f	7	
_	_	410			420			430			440			450			460			47			48	
atta	+					ráció.			ttte	ites			ma.	•		at:	2002	tta	cee	cte	tta	ata:	aoto	a
PS																								
<i>F</i> 2	, ,				500	¥ .		510	3 ~		520		-11	530	1+	•	540		••	-1 -55			a 56	
		490							L 4												_			_
atcg	باور	gtto	rggg	cgt	cago	eca.	ago	gcai	EGAT	Tat -	acg	cagu	ea:	azgc	gcti	An.	eeca -	aca	gg.	rago	dac	CHA	 CST CSI	ā
I	G		L G			P			5							D			Ģ			Q		
		570			500	•		590			600			610			620			63	-		64	-
ctgg																							tggt	t
Ħ	I	I	N	G :	I E	; W	A	I	\$	N	N	М	D	Y	I B	1	1 9	I	. 6	G	P	T	G	
		650		,	660			670			680			690			700			71	0		72	0
ctac	aqı	coct	qaaa	aca	qtog	ıttg.	aca	aaqq	egt	tto	:cag	eggt	atı	cgtc	gttg	jeti	jccg	cag	ccg	gaa	acg	aag	gtte	a
8 1	ر َ !	. L	K	T	₩	v i	D - 1	ĸ)	ĹΨ	• 5	S	Ğ	I	V	ν	A	A	A.	A	G	N	E (3 9	
	•	730			740			750			760			770			780			79			80	
tone	·/ra		caag			one:			rca:	aat	ate	ctte	tai			ots	aggt	o co	ota	aac	3 00	age		•
S	7	- T	T B											r I										
-	.,	810			B20	•		9 <u>2</u> 0			840			850		•	860		•	87		•	88	
		-																			-	+		
aaga																								
R	A		r			1 6			1.				A			' !			. 8			צ		
		890			900			910			920			930			940		_	95	_	_	96	_
gcad																								
G 9	. 1	Y G	A	Y	Х	G :	T :	18	4 A	T .	₽.	Ħ	V	A	G	A	A :	Ą	L	I	L	8 1	KH	Ĺ
		970			980		;	990		1	000		:	1010		7	1020			103	0		104	0
cegacttggacaaacgegcaagteegtgategtftagaaageactgcaacatatettggaaactetttetactactatggaaa																								
			T N																					
_		 1050			060	-		070				_	-	_	_	_	_	-	-					
- WE			aacg			,,,,,			. 	19	FΛ	ID	M٢) · 1.	4١									
			aacy N																					
LS.	L	*	IN.	A				· ¥	-	10	ニス		111	J. 19	J)									

FIG. 16A

24/26 **Subtilisin Amino Acid Alignment**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 ALA GLN SER VAL PRO TRP GLY ILE SER ARG VAL GLN ALA PRO ALA ALA HIS ASN ALA GLY SER VAL PRO TYR GLY ILE SER GLY ILE LYS ALA PRO ALA LEU HIS SER ALA LYS CYS VAL SER TYR GLY VAL SER GLN ILK LYS ALA PRO ALA LEU HIS SER 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 arg cly lieu ther cely seek cily val lyb val ala val lieu asp the cily lie seek GIN GLY TYP THE GLY SER ASN VAL LYS VAL ALA VAL ILE ASP SER GLY ILE ASP GIN GLY TYR THE GLY SER ASN VAL LYS VAL ALA VAL ILLE ASP SER GLY ILE ASP 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 THR --- HIS PRO ASP LAU ASM ILE ARG GLY GLY ALA SER PRE VAL PRO GLY GLU SER SER HIS PRO ASP LEU ASN VAL ARG GLY GLY ALA SER PHE VAL PRO SER GLU HER SER HIS PRO ASP LEU ASN VAL ALA GLY GLY ALA SER PHE VAL PRO SER GLU 55 \$6 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 --- PRO SER THE GLN ASP GLY ASN GLY HIS GLY THE HIS VAL ALA GLY THE THR ASN PRO TYR --- GLN ASP GLY SER SER HIS GLY THR HIS VAL ALA GLY THR THE ASN PRO PRE --- GLN ASP ASN ASN SEE HIS GLY THE HIS VAL ALA GLY THE 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 ile ala ala leu ask ask ser ile gly val leu gly val ala pro ask ala glu THE ALA ALA LEU ASN ASN SER THE CHY VAL LEU GHY VAL SER PRO SER ANA SER --- VAL LEU ALA VAL ATA PRO SER ALA SER 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 LEU TYP ALA VAL IYS VAL LEU GLY ALA SER GLY SER GLY SER VAL SER SER ILE LEU TYR ALA VAL LYS VAL LEU ASP SER PER GLY SER GLY GLN TYR SER TRP ILE LEU TYR ALA VAL LYS VAL LEU GLY ALA ASP. GLY SER GLY GLN TYR SER TRP ILR 109 110 111 112 113 114 115 116 117 118 118 120 121 122 123 124 125 126 ALA GLN GLY LEU GLU TRP ALA GLY ASN ASN GLY MET HIS VAL ALA ASN LEU SKR the ash gly the glu try ala the ser ash ash met asp val the ash met ser ILE ASN GLY ILE GIU TRP ALA ILE ALA ASN ASN NET ASP VAL ILE ASN MET SER 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 LEU CLY SER PRO SER PRO SER ALA THE LEU CLU CLM ALA VAL ASSI SER ALA THE LEU GLY GLY PRO THR GLY SER THR ALA LEU LYS THR VAL VAL ASP LYS ALA VAL LEU GLY GLY PRO SER GLY SER ALA ALA LEU LYS ALA ALA VAL ASP LYS ALA VAL 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 SER ARG GLY VAL LEU VAL VAL ALA ALA SER GLY ASN SER GLY --- ALA GLY SER (SEQ ID NO: 16) SER SER CLY ILE VAL VAL ALA ALA ALA ALA GLY ASN CLU CLY SER SER CLY SER (SEQ ID NO: 17) ala ser gly val val val ala ala ala gly ash glu gly the ser gly ser (SEQ ID NO: 18)

FIG. 16B

Subtilisin Amino Acid Alignment (cont'd.)

```
163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180
ILE SER --- --- TYR PRO ALA ARG TYR ALA ASN ALA MET ALA VAL GLY ALA
THR SER THE VAL GLY TYP PRO ALA LYS TYP PRO SER THE ILE ALA VAL GLY ALA
SER SER THR VAL GLY TYR PRO GLY LYS TYR PRO SER VAL ILÆ ALA VAL GLY ALA
181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198
thr asp gim asn asn asn arg ala ser phe ser gin tyr gly ala gly lieu asp
val asn ser ser asn gln arg ala ser phe ser ser ala cly ser glu leu asp
val asp ser ser asn gin arg ala ser phe ser ser val gly pro glu leu asp
199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216
THE VAL ALA PRO GLY VAL ASN VAL GIN SER TER TYR PRO GLY SER TER TYR ALA
VAL MET ALA PRO GLY VAL SER ILE GLN SER THR LEU PRO GLY GLY THR TYR GLY
val met ala pro gly val ser the cys ser the leu pro gly asm lys tyr gly
217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234
SER LEU ASN GLY THR SER MET ALA THR PRO HIS VAL ALA GLY ALA ALA ALA LEU
ALA TYR ASN GLY THR CYS MET ALA THR PRO HIS VAL ALA GLY ALA ALA ALA LEU
ALA LYS SER GLY THR SER MET ALA SER PRO HIS VAL ALA GLY ALA ALA ALA LEU
235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252
VAL LYS GLN LYS ASN PRO SER TRP SER ASN VAL GLN ILE ARG ASN HIS LEU LYS
THE LIEU SER LYS HIS PRO THE TRP THE ASN ALA GLN VAL ARG ASP ARG LIEU GLU
THE LEU SER LYS HIS PRO ASN TRP THE ASN THE GLN VAL ARG SER SER LEU GLU
253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270
ASN THE ALA THE SER LEO GLY SER THE ASN LEU TYR GLY SER GLY LEU VAL ASN
SER THR ALA THR TYR LEO GLY ASN SER PHR TYR TYR GLY LYS GLY LEU ILE ASN
ASN THR THR THR LYS LEU GLY ASN SER PHE TYR TYR GLY LYS GLY LEU IIN ASN
271 272 273 274 275 276
ALA GLU ALA ALA THR ARG (SEQ ID NO: 16)
VAL GIN ALA ALA ALA GLN (SEQ ID NO: 17)
VAL GIN ALA ALA ALA GIN (SEQ ID NO: 18)
```

FIG. 16C

PCR Oligos for Subfilisia E

Åp	dmer-	B-p	B-primer-						
	2,-कार बर्केट हैम्राई टरा गर्दे स्टिड करहे-3 ,		5'-पंद्र हुट्टा फर फि बोट बोट बोट बोट बोट बोट केंद्र बोट पंद्र फुट						
	(SEQ ID NO: 19)		age type they take get grat-31 (SEQ ID NO: 20)						
1-	К27У	51-	G61Y						
	F5'-ege tet aac gts TsT gts get git atc-3' (SEQ ID NO: 21)		F 5-cca tac cag gao TAc agt tot cac gg-3' (SEQ ID NO: 33)						
	R 5'-gat aac age tac AtA tac git aga goc-3' (SEQ ID NO: 22)		R 5'-co gig agn act gTA gio cig gin tgg-3' (SEQ ID NO: 34)						
2-	K237Y	5.2-	S98Y						
	F 5-ths att off tot TaC can one and tegs-3' (SEQ ID NO: 23)		F 5'-as gray cit gart TAT acts ggs ago ggo-3' (SEQ ID NO: 35)						
	R 5'-cca age cgg gtg GtA aga aag aat taa c-3' (SEQ ID NO: 24)		R 5'-got get toe test ATA and many case str-3' (SEQ ID NO: 36)						
3.1-	D36Y	6.1-	H17Y						
	If 5'-gac ago gga att Taet ett ete ate-3' (SEQ ID NO: 25)		F 5'-geg ceg get ett Tae tet eza gge t-3' (SEQ ID NO: 37)						
	R 5'-gat gag aag agt A aat too gut glo-3' (SEQ ID NO: 26)		R 5'-a got tig aga gtA aag agt egg ege-1' (SEQ ID NO: 38)						
3.2-	P210Y	6.2-	P%6Y						
	F 5-cas ago aca cat TAt gga ggo act tac-3' (SEQ ID NO: 27)		F 5'-otg ggo git ago TAT ago goa toa ta-3' (SEQ ID NO: 39)						
	R 5'-ta agt gcc tcc aTA aug tgt gct ttg-3' (SEQ ID NO: 28)		R 3'-taa tga tgc gct ATA gct aac gcc cag-3'(SEQ ID NO: 40)						
4.1-	K170Y	7 -	P201Y						
	F 5'-gge tac cet gea TaT tat eet tet act a-3' (SEQ ID NO: 29)		F 5'-gast gag atg goot TAt gggs gag too eto-3' (SEQ ID NO: 41)						
	R 5'-agt aga agg ata AtA tgo agg gta gcc-3' (SEQ ID NO: 30)		R 5'-gat egga cac goc aTA ago cal cac ato-3'(SEQ ID NO: 42)						
4.2-	E195Y								
	F 5'-ago goa ggt tot TaT out gast gtg atg -3' (SEQ ID NO: 31)								
	R 5'-cel cac alc aag AtA aga ace tgc gct-3' (SEQ ID NO: 32)	4.	6D						

FIG. 16D